



Certificate Detail

| | | |
|-------------------|--|---|
| Film Name | : RAYADURGA | Links for more information |
| Language | : Kannada | Synopsis of the movie |
| Duration | : 103.00 MM.SS | |
| Applicant Name | : T Venkatachalaiah- BANGALORE URBAN(AGASTYA CREATIONS) | |
| Producers | : T VENKATACHALAIAH - BANGALORE URBAN(AGASTYA CREATIONS) | Cast and Credit Details |
| Name of Signatory | : K Prashant Kumar, RO, CBFC, Bangalore | |
| Name of EO / PO | : Nagaraj P Revankar (E.O.) | |

Endorsement

File No. : CA022911202200043

Film Name : RAYADURGA (KANNADA) (Color) (2-D)

Applied Running Time : 104.36 MM.SS

Cert No. DIL/2/247/2022-BAN Dated 31/12/2022

Insertions / Excisions/ Modifications carried out by the applicant to comply with the law in force

Duration (MM.SS)

| Cut No. | Description | Deleted | Replaced | Inserted |
|----------------|--|---------|----------|----------|
| 1 | Insert Disclaimer " The film is a work of Fiction All the characters incidents names portrayed in the film are fictitious and any resemblance to actual persons, living or dead or reality is purely coincidental" in applied language Kannada | 00.00 | 00.00 | 00.00 |
| 2 | Remove the Visuals of "Breast" at TCR 21:40:00 | 00.31 | 00.00 | 00.00 |
| 3 | Remove/ replace the Visuals of inappropriate touching of " Breast" at TCR 38:32,39:14 | 00.06 | 00.00 | 00.00 |
| 4 | Insert Anti-Alcohol static at TCR 01:12:00 and wherever occurs (applied language) | 00.00 | 00.00 | 00.00 |
| 5 | Remove/ replace the "hanging" shots at TCR 1:40:50,1:41:40 | 00.59 | 00.00 | 00.00 |
| 6 | Insert the Title in applied language 01:43:05 (Kannada) | 00.00 | 00.00 | 00.00 |
| 7 | Insert the disclaimer in the beginning" The film is work of fiction, neither the applicant of the film, nor the producer, director, Artist, or any person associated with this film do not intends to promote, propagate or encourage superstition, supernatural witchcraft or black magic in any manner. in applied language. | 00.00 | 00.00 | 00.00 |
| Total : | | 01.36 | 00.00 | 00.00 |

Total Deletions at the Time of Examination : **01.36 MM.SS**

Actual Duration of the film after the aforesaid deletions and replacements will be **103.00 MM.SS** in 0 cassette(s).